25X1 2. Estween 20 and 25 August, the status of the dir Force installations in Finstervalde was as follows: Installation No 1, fully occurried, notor vehicle traffic was light, trucks officers were seen. Installation No 3, occurried by about 200 air force personnel. Installation No 3, occurried by about 200 air force personnel. Installation No 3, occurried by about 200 air force personnel. Installation No 3, occurried by 10 to 15 nen only; no activity was observed in the repair slop. Installation No 6, no occurration was observed.	2
25X1 2. Estween 20 and 25 August, the status of the air force installations in Finstervalde was as follows: Installation No 1, fully occupied, notor vehicle traffic was light, irraks Officers were seen. Jinstallation No 3, occupied by about 200 air force personnel. Jinstallation No 4, used as a hospital. Jinstallation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
25X1 2. Fetween 20 and 25 August, the status of the air force installations in finaterselde was as follows: Installation No 1, fully occurried, notor vehicle traffic was light, which is trucks Officers were seen. Installation No 3, occurried by about 20 air force personnel. Installation No 4, used as a hospital. Installation No 4, used as a hospital. Installation No 5, occurried by 10 to 15 nen only; no activity was observed in the repair shop.	to be also processed
ATE OF CONTEND ATE OBTAINED AGES 2	2:
AGES EMOLO ENO. STATE OF METARED 25X1 2. Fetween 20 and 25 August, the status of the air force installations in finsterwalds was as follows: Installation No 1, fully occumied, notor vehicle traffic was light, trucks were seen. Installation No 3, occuried by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 4, used as a hospital. Installation No 5, occuried by 10 to 15 men only; no activity was observed in the repair shop.	
2 ENGLO FIGURE (NO. 2007) REMARKS 2. Fetween 20 and 25 August, the status of the air force installations in finsterwalde was as follows: Installation No 1, fully occupied, notor vehicle traffic was light, trucks vere seen. installation No 3, occurried by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 4, used as a hospital. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
2 EMARKS 2. Fetween 20 and 25 August, the status of the air force installations in Finstervalde was as follows: Installation No 1, fully occurried, notor vehicle traffic was light, trucks were seen. Installation No 3, occurried by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	per (gar (garper) a specieropia
25X1 2. Fetween 20 and 25 August, the status of the air force installations in Finsterwalds was as follows: Installation No 1, fully occumied, notor vehicle traffic was light, irrucks were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
25X1 2. Fetween 20 and 25 August, the status of the air force installations in Finstervalde was as follows: Installation No 1, fully occurried, notor vehicle traffic was light, trucks were seen. Installation No 3, occurried by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 4, occurried by 10 to 15 men only; no activity was observed in the repair shop.	anne April and a
25X1 2. Fetween 20 and 25 August, the status of the air force installations in finstervalde was as follows: Installation No 1, fully occurried, notor vehicle traffic was light, trucks Vere identified. A few officers were seen. Installation No 3, occurried by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
25X1 2. Fetween 20 and 25 August, the status of the air force installations in Finsterwalde was as follows: Installation No 1, fully occumied, notor vehicle traffic was light, trucks were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	ALLA MATRICE MA
25X1 2. Fetween 20 and 25 August, the status of the air force installations in Finsterwalde was as follows: Installation No 1, fully occumied, notor vehicle traffic was light, trucks officers were seen. installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	KIS TOTANSKI LOTE ČETSKI
2. Fetween 20 and 25 August, the status of the air force installations in Finsterwalde was as follows: Installation No 1, fully occupied, notor vehicle traffic was light, trucks officers were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
2. Fetween 20 and 25 August, the status of the air force installations in Finsterwalde was as follows: Installation No 1, fully occupied, notor vehicle traffic was light, trucks officers were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
2. Fetween 20 and 25 August, the status of the air force installations in Finsterwalde was as follows: Installation No 1, fully occupied, notor vehicle traffic was light, trucks were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
2. Fetween 20 and 25 August, the status of the air force installations in Finsterwalde was as follows: Installation No 1, fully occupied, notor vehicle traffic was light, trucks were identified. A few officers were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
2. Fetween 20 and 25 August, the status of the air force installations in Finstervalde was as follows: Installation No 1, fully occupied, notor vehicle traffic was light, trucks vere seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
2. Fetween 20 and 25 August, the status of the air force installations in Finsterwalde was as follows: Installation No 1, fully occupied, notor vehicle traffic was light, trucks were identified. A few officers were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 nen only; no activity was observed in the repair shop.	
2. Fetween 20 and 25 August, the status of the air force installations in Finsterwalde was as follows: Installation No 1, fully occupied, motor vehicle traffic was light, trucks were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	25)
2. Fetween 20 and 25 August, the status of the air force installations in Finsterwalde was as follows: Installation No 1, fully occupied, motor vehicle traffic was light, trucks were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
2. Fetween 20 and 25 August, the status of the air force installations in Finsterwalde was as follows: Installation No 1, fully occupied, motor vehicle traffic was light, trucks were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
Installation No 1, fully occupied, notor vehicle traffic was light, irucks were identified. A few officers were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
Installation No 1, fully occupied, notor vehicle traffic was light, irucks were identified. A few officers were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
Installation No 1, fully occupied, notor vehicle traffic was light, trucks were identified. A few officers were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
Installation No 1, fully occupied, notor vehicle traffic was light, trucks were identified. A few officers were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
irucks were identified. A few officers were seen. Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
Installation No 3, occupied by about 200 air force personnel. Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
Installation No 4, used as a hospital. Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
Installation No 5, occupied by 10 to 15 men only; no activity was observed in the repair shop.	
THE PROPERTY OF THE OFFICE OFF	
Installation No 3, komendatura; the utility shops were dissolved.	
Installation No $\$$, occupied by 10 officers and 50 EM; $\$$ to 10 trucks were parked in sheds in the yard.	
Installation No coupled to capacity by officers' dependents. 2	
CLASSIFICATION SECRET.	

			SECRET'/	
				25X1
			- 2 -	
051/4		٠.		
25X1		3.	On 25 and 26 August, four ground attack aircraft which had arrived from the direction of Finsterwalde practiced attacks against ground targets over Lake Schwieloch and the area of the Lieberose troop training grounds.	
. •		4 2	Petween 4 and 5:30 p.m. on 2 September 1953, Il-10s made local training flights at the field.	25X1
25X1				,
25X1		1.	Comment. Finstervalde airfield is occupied by the ground attack regiment which had previously been stationed in Reinsdorf. For the first	
25X1		ı	time on 5 August. Il-10s of unknown assignment.	-
25/1		l	regiment from Reinsdorf had moved to Finsterwalde.	25X1
25X·1			Justification of Justif	
25X1			at the field belong to the air force	25X1 25X1
25X1		2.	Comment.	25X1
25X1	ı		The occupation of Installations Nos 3	25X1
	2.0		through 9 has apparently not changed. The utilization of Installation No l is still unknown. Previously, this installation housed the headquarters	
			of the bomber corps, which was carried as still being stationed there	
			after the bomber regiments had moved to other fields. The present report does not indicate whether the bomber corps headquarters is still stationed	
1 N 1			in Finsterwalde. Moreover the whereabouts of the ground attack corps	
			headquarters which moved from the Falkensee restricted area to Finsterwalds on 12 August, is still unknown.	25X1
25X1				

SECRET